### Occupancy and Maintenance Regulations under the Urban and Rural Planning Act (OC. 96-201)

Under the authority of section 63 of *Urban and Rural Planning Act* and the *Subordinate Legislation revision and Consolidation Act*, the Lieutenant-Governor in Council makes the following regulations.

### REGULATIONS

### Analysis

| Section:                        |  | Section:   |  |
|---------------------------------|--|--|--|
| Short title                     | 24.  | Kitchen facilities   |  |
| Definitions                     | 25.  | Washrooms  |  |
| Application                     | 26.  | Lighting and ventilation of habitable  |  |
| Occupancy                       |  | rooms  |  |
| Maintenance                     | 27.  | Sleeping rooms   |  |
| Structural soundness            | 28.  | Cooking prohibited in sleeping rooms   |  |
| Property drainage               | 29.  | Overcrowding   |  |
| Fire Prevention                 | 30.  | Storage space  |  |
| Pest control                    | 31.  | Enclosed space access  |  |
| Dampness                        | 32.  | Walkways, driveways  |  |
| Basement habitable              | 33.  | Fences   |  |
| rooms                           | 34.  | On site storage  |  |
| Exterior walls                  | 35.  | Debris prohibited  |  |
| Exits                           | 36.  | Landscaping  |  |
| Exterior doors                  | 37.  | Rubbish disposal   |  |
| Porches and stairs              | 38.  | Composting container   |  |
| Roofs                           | 39.  | Manner of composting   |  |
| Fireplaces                      | 40.  | Container location   |  |
| Floors                          | 41.  | Powers of enforcement authority  |  |
| Interior walls and ceilings     | 42.  | Failure to comply  |  |
| Heating and weatherproofing     | 43.  | Conflict   |  |
| Plumbing                        | 44.  | Penalty  |  |
| Electrical                      | 45.  | Appeal   |  |
| Kitchen and washroom facilities | 46.  | Repeal Schedule  |  |
|                                 | Short title Definitions Application Occupancy Maintenance Structural soundness Property drainage Fire Prevention Pest control Dampness Basement habitable rooms Exterior walls Exits Exterior doors Porches and stairs Roofs Fireplaces Floors Interior walls and ceilings Heating and weatherproofing Plumbing Electrical | Short title 24. Definitions 25. Application 26. Occupancy Maintenance 27. Structural soundness 28. Property drainage 29. Fire Prevention 30. Pest control 31. Dampness 32. Basement habitable 33. rooms 34. Exterior walls 35. Exits 36. Exterior doors 37. Porches and stairs 38. Roofs 39. Fireplaces 40. Floors 41. Interior walls and ceilings 42. Heating and weatherproofing 43. Plumbing 44. Electrical 45. |  |

**Short Title** 

**1.** These regulations may be cited as the *Occupancy and Maintenance Regulations*.

**Definitions** 

- **2.** In these regulations
  - a "Act" means the *Urban and Rural Planning Act*;
  - b "building line" means a line established by the enforcement authority to set the horizontal distance between the closest point of a building and the street line;
  - c "composting" means the storage and controlled biochemical decomposition of vegetable, fruits or garden waste;
  - d "enforcement authority" means the authorized administrator or the municipal council having jurisdiction in the area designated by the minister; and
  - e "minister" means the minister appointed under the Executive Council Act to administer the Act.

**Applications** 

**3.** These regulations shall apply to those municipalities or municipal planning areas listed in the Schedule.

Occupancy

- 4. (1) A person shall not occupy for human habitation or otherwise, or be the owner of, permit to be occupied for human habitation or otherwise, a dwelling or structure which does not confirm to the standards set out in these regulations.
  - (2) All new dwellings and structures, all existing vacant dwellings and structures and a dwelling or structure which becomes unoccupied and not maintained for a length of time, shall require an occupancy permit issued by the enforcement authority before the proposed occupancy occurs.
  - (3) Notwithstanding subsections (1) and (2), temporary departures from existing properties for annual vacation, work related purposes, education, health reasons, temporary duty elsewhere, or business trips, shall not be considered vacancies under these regulations.

Maintenance

5. All properties in the areas listed in the Schedule including land, buildings, structures, dwellings, fences, sheds, garages, parking lots, driveways, landscaping and all appurtenances shall be maintained in a

state of good condition and repair in accordance with the standards set out in these regulations and as otherwise ordered by the enforcement authority.

### Structural Soundness

- **6.** Structural components of all buildings and dwellings shall be
  - a free from deterioration, loose jointing, sagging, bulging and excessive deflection; and
  - b capable of sustaining safely the weight of the structure or dwelling and a load to which it may be normally subjected.

# Property Drainage

7. All occupied land shall be provided with adequate surface water drainage over the whole area of the property to prevent ponding and to prevent run-off to adjacent properties with suitable arrangements for the disposal of surface water without eroding or flooding.

#### Fire Prevention

- **8.** (1) All buildings and dwellings shall meet the requirements of those local, provincial and national fire regulations that may be applicable.
  - (2) A building or dwelling shall not be permitted to be occupied if it is a potential fire hazard due to its location, construction, contents or another reason and all those structures or dwellings shall be made to conform to the appropriate codes and standards as adopted by the enforcement authority before occupancy is permitted.
  - (3) An occupied structure that is considered a fire hazard may be ordered vacated by the enforcement authority until the applicable deficiencies have been corrected by the owner.
  - (4) Smoke alarms conforming to the standards set out in the National Building Code shall be installed in every dwelling unit and in accordance with the requirements of the National Building Code, in all other buildings.

### Pest Control

- **9.** (1) Every structure and dwelling shall be kept free of rodents, vermin and insects and appropriate extermination measures shall be taken when ordered by the enforcement authority.
  - (2) Extermination measures ordered under subsection (1) shall be at owners expense.

### Dampness

10. The basement, attic space, floors, ceilings, crawl space and cellar of every building and dwelling unit shall be kept free from dampness, moisture, condensation and interior sweat so as to prevent rot and the development of mildew or other health hazard.

### Basement habitable rooms

- 11. A room in the basement of a building or dwelling shall not be used as a habitable room unless
  - a the finished floor of that room is not more than an average depth of 1,143 millimetres below the finished grade of the property;
  - b the room is ventilated;
  - c all walls below grade are effectively damp-proof resulting in a dry interior condition; and
  - d the interior of the basement wall is properly insulated and finished.

#### Exterior walls

- 12. (1) Exterior walls and their components shall be adequate to support loads upon them and shall be maintained to prevent their deterioration from any cause.
  - (2) Exterior cladding or covering must be reasonably durable and maintained in accordance with the standards set out in these regulations and as otherwise determined by the enforcement authority.

#### Exits

- 13. (1) A single exit is permitted from the ground floor of a dwelling unit provided.
  - a the exit is to the exterior at or near ground level; and
  - b it provides a safe, continuous and unobstructed means of egress
  - (2) Dwelling units which do not meet the requirements of subsection (1) shall have 2 exits.
  - (3) Buildings other than dwelling units shall comply with the building code with respect to exit provisions.

#### Exterior doors

**14.** (1) Existing doors and frames shall be in sound condition, well fitted and operate satisfactorily.

- (2) At least one entrance door in every unit shall be capable of being locked from both inside and outside.
- (3) All exterior doors shall be weather-stripped or have an appropriate combination of storm and screen door suitable for all year use.

### Porches and stairs

**15.** All porches, balconies, landings, stairs and handrails shall be well constructed and free from defects which may constitute a safety hazard.

#### Roofs

- **16.** (1) All roof construction components shall provide adequate support for all probable loads and form a suitable base for the roof covering.
  - (2) A roof including the fascia board, soffit, cornice and flashing shall be maintained in a watertight condition so as to prevent leakage of water into the dwelling.

### Fireplaces

17. All fireplaces, fuel burning equipment and chimneys shall be maintained in a safe, efficient condition.

#### **Floors**

- **18.** (1) All floors shall be constructed and maintained so as to adequately accept the applied loads without undue deflection and damage.
  - (2) Defective or excessively worn, deteriorated, cracked, or torn finishes shall not be permitted by the enforcement authority.

# Interior walls and ceilings

- **19.** (1) Every wall and ceiling finish shall be maintained free from holes, loose or deteriorated coverings or other defects which may increase the spread of fire.
  - (2) Where fire resistant wall exist between separate dwelling units, they shall be maintained in a condition which retains their fire resistant quality.

# Heating and weatherproofing

- 20. (1) All buildings and dwelling units shall be weatherproof and insulated so as to capable of being adequately heated with a reasonable consumption of fuel.
  - (2) Heating equipment in every building and dwelling shall be in good working order and in good repair, free from fuel leaks and other defects and shall be non-hazardous to the occupants, in the opinion of the enforcement authority.

(3) Fuel storage equipment, supports and piping shall meet the requirements of the applicable regulations.

### Plumbing

- 21. (1) All plumbing, drain pipes, water pipes, water closets, sinks and other plumbing fixtures in a building or dwelling shall be maintained in good order and repair in accordance with the requirements of the enforcement authority.
  - (2) Where necessary due to the nature of the construction of the unit, all water pipes subject to the possibility of freezing shall be insulated, heated or otherwise projected.
  - (3) All plumbing fixtures shall have suitable traps installed and all plumbing systems shall be properly vented to the outdoors.

#### Electrical

- 22. (1) The electrical service, distribution equipment, wiring equipment, and appliances used in a building or dwelling unit shall be installed and maintained in accordance with the requirements of the Newfoundland and Labrador Hydro Corporation.
  - (2) Exposed, loose wiring, broken or damaged switches or outlet covers or damaged fixtures shall not be permitted be the enforcement authority.

### Washroom Facilities

- 23. (1) Every dwelling unit shall be provided with at least on kitchen sink, washbasin, water closet and bathtub or shower which
  - a is in good working order;
  - b is connected to a piped water supply; and
  - c has an acceptable means of sewage disposal.
  - (2) Every dwelling unit shall have provisions for a constant supply of both hot and cold water.
  - (3) Hot water tanks shall be insulated and equipped with automatic temperature control.
  - (4) All plumbing fixtures shall operate properly and shall be free from leaks.

### Kitchen facilities

- 24. (1) Every dwelling unit shall contain a kitchen area equipped with a sink, served with hot and cold running water, storage facilities and a counter top work area.
  - (2) Each kitchen or working area shall be provided with at least one operable window or skylight opening to the external air and having an area not less than 10% of the net floor area of the room, or with a mechanical system of ventilation satisfactory to the enforcement authority.

#### Washrooms

- 25. (1) All washrooms, including toilets and bathrooms, shall be
  - a Located within and shall be accessible from within the building; and
  - b Fully enclosed and in the case of a public building, having a lockable door to provide privacy.
  - (2) Every washroom, toilet and bathroom shall be provided with
  - a At least one operable window or skylight opening to the external air and having an area of not less than 10% of the floor area of the room; or
  - b A mechanical system of ventilation satisfactory to the enforcement authority.

# Lighting and ventilation of habitable rooms

- **26.** (1) Every habitable room in a dwelling unit shall contain one or more operable windows.
  - (2) Windows required under subsection (1) shall open directly to the outside air and the total area of window or windows in every habitable room shall not be less than 10% of the floor area of that room.
  - (3) All window sashes shall be glazed and provided with suitable hardware.

### Sleeping rooms

- 27. (1) A room shall not be used for sleeping purposes unless it has a floor area of at least 6 square metres.
  - (2) Where more than one individual at least 12 years of age uses a room for sleeping purposes, it shall have at least 12 cubic metres of air space and 5 square metres of floor space.

|  |     | 3 square metres of floor space.   |
|--|-----|---|
| Cooking<br>prohibited in<br>sleeping rooms | 28. | Where more than two persons occupy a dwelling unit, food shall not be prepared in a room used for sleeping purposes.  |
| Overcrowding                               | 29. | The number of persons in a building or part of a building shall not exceed the number permitted under the Fire and Life Safety Code or another code or standard adopted by the enforcement authority. |
| Storage Space                              | 30. | Every dwelling unit shall have general storage and closet space as required by applicable housing regulations or as determined by the enforcement authority.  |
| Enclosed Space<br>Access                   | 31. | (1) An access opening of at least 600 millimetres by 750 millimetres shall be provided when required to attics, crawl spaces and other enclosed spaces.   |
|  |     | (2) Where mechanical equipment is enclosed, the access opening shall be sufficiently large to permit the removal and replacement of the equipment.  |
|  |     | (3) Enclosed attic, roof and crawl space shall be vented to the exterior of the structure.  |
| Walkways &<br>Driveways                    | 32. | Steps, walks, driveways, parking spaces and similar areas of a yard shall be adequately lit and maintained to afford safe passage under normal use and weather conditions.                            |
| Fences                                     | 33. | (1) A fence shall not extend in front of the building line where it would reduce the visibility of vehicles entering or exiting a street or intersection.   |
|  |     | (2) Fences, barriers and retaining walls shall be kept in good repair and free from accident hazards.   |
|  |     | (3) Subsection (1) does not apply to hedges, walls or ornamental fences not exceeding 750 millimetres in height.  |

(3) Where an individual less than 12 years of age uses a room for sleeping purposes, it shall have at least 6 cubic metres of air space and

dwelling unit shall be at the rear of the lot.

(1) The storage of materials or equipment on the site of a building or

On site storage

**34.** 

or imposition to adjoining properties. (3) Storage space on corner lots shall be screened. Debris prohibited 35. Land shall be free from debris including a vehicle, trailer or object which is in a wrecked, discarded or abandoned condition. Landscaping 36. (1) Land shall be protected by suitable ground cover which prevents erosion of the soil. (2) Plants and vegetation shall be kept trimmed so as not to be unsightly to neighbouring property. Rubbish disposal **37.** (1) All garbage, rubbish waste and other debris from residential properties shall be promptly stored in regulation receptacles; and a h made available for removal in accordance with the standards approved by the enforcement authority. (2) Subsection (1) does not apply to composting. Composting 38. All composting must be carried out in a suitably maintained container container which may be commercially or owner constructed; a b must be rodent proof; and must be properly vented. c Manner of **39.** All composting shall be carried out in a manner that neither attracts composting rodents, flies nor animals nor causes an unpleasant odour and shall be maintained so as not to be a nuisance to neighbouring properties. Container **40.** Composting containers shall be located in the rear yard no closer than Location one metre to a lot line. Powers of 41. (1) The enforcement authority may direct the owner of a dwelling unit Enforcement or building which does not conform to the standard

(2) All items shall be neatly arranged and shall not cause inconvenience

- a to undertake work to make the dwelling unit or building conform to the standard;
- b to demolish all or part of a building or dwelling or structure or erection forming a part of the building or dwelling; or
- c to clean an paint as required to provide a satisfactory condition of appearance and cleanliness;

within the time that the enforcement authority may specify.

(2) Every owner shall carry out the directions of the enforcement authority referred to in subsection (1).

### Failure to comply

- **42.** (1) If an owner does not comply with the directions of the enforcement authority, the enforcement authority may
  - a order the necessary work to be done to make the dwelling or building conform to the standards and recover the cost from the owner; or
  - b order the demolition of the building.
  - (2) The owner shall carry out the demolition referred to in paragraph (1)(b) but if the owner does not comply with the order, the enforcement authority may carry out the demolition through its officer, agents, employees or contractors and recover the cost of doing as a civil debt from the owner.

### Conflict

**43.** Where a provision of this regulation conflicts with a provision of another Act or regulation in force in the planning area concerned, the provisions that established the higher standard to protect the health, safety and welfare of the general public shall prevail.

### Penalty

**44.** A person who contravenes a provision of this regulation shall, upon conviction, be liable to the penalties imposed by section 126 of the *Urban and Rural Planning Act*.

### Appeal

**45.** (1) A person or corporation aggrieved by a decision made under these regulations may appeal to the appropriate appeal board within 30 days of the date of the decision appealed.

(2) The enforcement authority shall provide the aggrieved with a written statement of the exact procedures to be followed.

### Repeal **46.** The following regulations are repealed:

- a Town of Arnold's Cove Occupancy and Maintenance Regulations, 1993, Newfoundland Regulation 210/93;
- b Town of Avondale Occupancy and Maintenance Regulations, 1998, Newfoundland Regulation 46/88;
- c Community of Berry Head Occupancy and Maintenance Regulations, 1979, Newfoundland Regulation 155/80;
- d Bishop's Falls Occupancy and Maintenance Regulations, 1978, Newfoundland Regulation 41/78;
- e Town of Bonavista Occupancy and Maintenance Regulations, 1984, Newfoundland Regulation 181/84;
- f Burin Occupancy and Maintenance Regulations, 1983, Newfoundland Regulation 201/83;
- g Town of Carbonear Occupancy and Maintenance Regulations, 1984, Newfoundland Regulation 66/84;
- h Town of Channel-Port aux Basques Occupancy and Maintenance Regulations, 1986, Newfoundland Regulation 189/86;
- i Town of Conception Bay South Occupancy and Maintenance Regulations, 1985, Newfoundland Regulation 202/85;
- j City of Corner Brook Occupancy and Maintenance Regulations, 1986, Newfoundland Regulation 247/86;
- k Town of Deer Lake Occupancy and Maintenance Regulations, 1983, Newfoundland Regulation 125/83;
- Town of Dover Occupancy and Maintenance Regulations, 1985, Newfoundland Regulation 116/85;

- m Town of Gambo Occupancy and Maintenance Regulations, 1982, Newfoundland Regulation 247/82;
- n Town of Gander Occupancy and Maintenance Regulations, 1979, Newfoundland Regulation 163/79;
- o Town of Happy Valley-Goose Bay Occupancy and Maintenance Regulations, 1977, Newfoundland Regulation 1030/78;
- p Town of Harbour Grace Occupancy and Maintenance Regulations, 1984, Newfoundland regulation 272/84;
- q Town of Harbour Main-Chapels Cove-Lakeview Occupancy and Maintenance Regulations, 1984, Newfoundland Regulation 102/84;
- r Town of Holyrood Occupancy and Maintenance Regulations, 1984, Newfoundland Regulation 94/84;
- s Local Improvement District of Kippens Occupancy and Maintenance Regulations, 1979, Newfoundland Regulation 1/80;
- t Town of Labrador City Occupancy and Maintenance Regulations, 1982, Newfoundland regulation 245/82;
- u Town of Logy Bay-Middle Cove-Outer Cove Occupancy and Maintenance Regulations, 1989, Newfoundland Regulation 142/89;
- v City of Mount Pearl Occupancy and Maintenance Regulations, 1994, Newfoundland Regulation 45/94;
- w Town of Norther Arm Occupancy and Maintenance Regulations, 1989, Newfoundland Regulation 167/89;
- x Town of Paradise Occupancy and Maintenance Regulations, 1986, Newfoundland Regulation 49/86;
- y Town of Pasadena Occupancy and Maintenance Regulations, 1978, Newfoundland Regulation 1074/78

- z Town of Pouch Cove Occupancy and Maintenance Regulations, 1984, Newfoundland Regulation 42/84;
- aa Town of St. George's Occupancy and Maintenance Regulations, 1988, Newfoundland Regulation 250/88;
- bb Town of Stephenville Occupancy and maintenance Regulations, 1976, Newfoundland Regulation 1116/78;
- cc Town of Trepassey Occupancy and Maintenance Regulations, 1985, Newfoundland Regulation 239/85;
- dd Town of Wabush Occupancy and Maintenance Regulations, 1984, Newfoundland Regulation 273/84.

### **Schedule**

Town of Arnold's Cove

Town of Avondale

Town of Bishop's Falls

Town of Bonavista

Town of Burin

Town of Carbonear

Town of Channel-Port aux Basques

Town of Conception Bay South

City of Corner Brook

Town of Deer Lake

Town of Dover

Town of Gambo

Town of Gander

Town of Happy Valley-Goose Bay

Town of Harbour Grace

Town of Harbour Main-Chapel's Cove-Lakeview

Town of Holyrood

Town of Kippens

Town of Labrador City

Town of Logy Bay-Middle Cove-Outer Cove

City of Mount Pearl

Town of Northern Arm

Town of Paradise

Town of Pasadena

Town of Placentia

Community of Port au Port East

Town of Pouch Cove

Town of St. George's

Town of Stephenville

Town of Trepassey

Town of Wabush